

Mark Gordon

Governor

# State of Wyoming Department of Workforce Services

**DIVISION OF WORKERS' COMPENSATION** 

5221 Yellowstone Rd Cheyenne, Wyoming 82002 http://www.wyomingworkforce.org



## SPINAL CORD STIMULATOR TRIAL POLICY CHECKLIST Failed Back Surgery/Neuropathic pain in post-spinal surgery patients

### \*\*\*This procedure REQUIRES Peer Review\*\*\*

Date:	Date of Procedure (if scheduled)
Claimant Name:	Claim Number:
Date of Birth:	*Date of Injury:
Requesting Physician:	
neurostimulator procedures, including spind	ection 32: "The Division shall not authorize payment for any al cord dorsal stimulators and dorsal root ganglion ical costs related to the placement, revision, or removal of any spinal

Based on review by the Wyoming Medical Commission, any request for preauthorization for SCS *or any neurostimulator procedures* with a claim date prior to April 16, 2020 will be reviewed on a case-by-case basis as a third-line, last resort treatment. All requests will be sent to Peer Review utilizing the updated associated Spinal Cord Stimulator Policy Checklist(s). All items identified are required.

#### Spinal cord stimulators (SCS) may be recommended on a case-by-case basis for the following indications:

- Failed back surgery with persistent leg pain that is determined to be related to nerve damage from the initial pathology and/or surgery as confirmed by exam and electrodiagnostic study.
- Neuropathic pain in post-spinal surgery patients in which there is no evidence of a nociceptive component to symptoms.
- Chronic Regional Pain Syndrome (CRPS)

#### SCS are not recommended for the following indications:

• Not recommended for radiculopathy in patients who have not undergone spinal surgery.

cord stimulator." This applies to any claim with a Date of Injury after April 16, 2020.

- Not recommended for axial back pain in patients who have not undergone spinal surgery.
- Not recommended to facilitate weaning of pain medications.
- Not recommended to remove a current functional SCS (such as a traditional/tonic model) and replace with a newer waveform technology until there is documentation of a need for battery change or other medical necessity.
- Not recommended as a salvage treatment by replacing a traditional/tonic SCS that has failed with a newer waveform model, such as high frequency or burst.
- Not recommended to perform a repeat trial in patients who have failed a trial of SCS in the past.
- Not recommended for patients who will require future MRI evaluation for existing pathology.

- Request for the trial and request for the permanent must be submitted separately.
- Trial period to last 7-14 days.
- Functional analysis performed by an independent PT/OT PRIOR to and DURING the trial.
- The permanent placement will not be approved unless specific criteria are met from the trial.
- Requests will be sent for Peer Review at the time of the initial request for the trial placement, which can take up to 45 days. A second Peer review is not required for the permanent placement. Permanent placement requests will be reviewed for evidence of a successful SCS Trial as outlined.
- Provider bulletins and check sheets are available at: <a href="http://wyomingworkforce.org">http://wyomingworkforce.org</a>

### Specific evaluation criteria – all must be addressed:

\*\*The following criteria must be met within 45 days from date of request or no further action will be taken\*\*

#### ALL QUESTIONS MUST BE ADDRESSED OR REQUEST WILL BE DEEMED INCOMPLETE

Claimant Diagnosis:		ICD-10 Code	
Approved Indications:			
	☐ YES	$\square$ NO	
Failed back surgery with persistent leg pain that is determined to be related			
to nerve damage from the initial pathology and/or surgery as confirmed by			
exam and electrodiagnostic study.			
Neuropathic pain in post-spinal surgery patients in which there is no			
evidence of a nociceptive component to symptoms.			
1. All pertinent history AS DOCUMENTED in the medical records:			
A. Anatomical description of pain pattern accompanied by symptom diagram.	☐ YES	∐ NO	
B. Pain character related to activity.			
C. Pain severity using 1-10 scale range to include average, best, and worst.			
D. AAOS Lower Limb Outcome Scale, DASH, or PDQ as indicated.			
E. Noninvasive and invasive interventions employed to reduce pain and			
specific response to each of these.			
F. Treatment history			
a. Surgical Procedure(s) YES NO Procedure: Date:			
b. Injections YES NO			
c. Medications YES NO			
d. Psychosocial and behavioral management  YES NO			
2. Documented physical findings on serial examinations are consistent with/corroborating lumbar radiculitis/radiculopathy:			
A. Straight leg raise limitations (degrees) with documented distribution of			
symptoms and a date of the development of documented positive straight leg raise.	☐ YES	□ NO	

В	. Deficits in sensation/motor/reflex functions.	YES	□ NO
A. B. C.	Radiographic findings that are consistent with/corroborate patient complaints and above diagnosis (within last 12 months):  Plain radiographs  MRI (of affected body part)  MRI of spine (to check patency of Spinal Canal for lead placement)  Other	A. Date B. Date C. Date D. Date	
A.	Procedural results consistent with and corroborate patient complaints.  Nerve root blocks within one (1) year  AND/OR  EMG within one (1) year	YES  A. Date B. Date	
<b>5.</b> Date	Independent documentation by a neurologist of radiculopathy.  Provider	YES	□ NO
6.	Objective measurement of functional gain by a physical therapist (PT) or occupational therapist (OT) prior to and during trial. This should include a pain drawing before and after.	YES Date	□ NO
7.	Results of urine drug screen within thirty (30) days of this request and documentation of consistent drug screens over the past year.	YES Date	□ NO
8.	Psychological evaluation to be performed by an independent psychologist with no conflict of interest. A one-on-one evaluation is required with inclusion of psychometric testing (MMPI-2RF or BHI-2). Substance use disorder screen should also be included.	YES  Date	□ NO
9.	Any contraindications: (select all that apply)	YES	□ NO
His His Chr	igation in process  tory of drug abuse, alcohol use disorder  tory of suicidal ideation or suicide attempt  ronic high dose opioid use – (>90 MEQ/MED) SCS is not indicated for reduce vated BMI/Obesity  rrent tobacco use  tory of infection/ sepsis/ localized infection  agulopathy	ction of medication	ons

Previous surgery obliterating the spinal canal
☐ Inability for patient or caregiver to understand/ operate system
Need for future MRI
Psychological factors (see above)
Pregnancy
<b>10.</b> Physicians requesting authorization must be trained to perform this procedure.
COPY OF TRAINING CERTIFICATE INCLUDED WITH TRIAL REQUEST IS
REQUIRED.
☐ YES
Physician Signature
,
Date: